

23k
Par

Thousands of commercial, public and municipal pools in the United States as well as in many countries throughout the world are PARAGON-equipped.

PARAGON diving stands, boards, ladders and other deck equipment, as well as underwater lights, built-in skimmers and precision-engineered fittings and accessories, help provide the utmost in safe, sanitary, luxurious pool enjoyment.



SWIMMING POOL EQUIPMENT

DIVING STANDS AND BOARDS

LADDERS

UNDERWATER LIGHTS

BUILT-IN SKIMMERS

FILTERS

FITTINGS AND ACCESSORIES

ALGIER'S MOTEL, Detroit, Mich.
ANNAPOLIS COUNTRY CLUB, Annapolis, Md.
ANCHOR MOTEL, Nashville, Tenn.
ANDERSON COUNTY RECREATION CENTER, Lawrenceburg, Ky.
ASHBOURNE HILLS SWIM CLUB, Wilmington, Del.
ASHBROOK SWIM CLUB, Clark Twp., N. J.
BALTIMORE COUNTRY CLUB, Baltimore, Md.
CITY OF BAXTER SPRINGS, Kan.
JOHN BRYAN STATE PARK, Yellow Springs, Ohio
BUFFALO STATE TEACHERS COLLEGE, Buffalo, N. Y.
CAMDEN MUNICIPAL POOL, Camden, Tenn.
CAMP DITMER, Phelps, N. Y.
CAMP HADER, Clinton, Conn.
CARAVAN MOTEL, White Plains, Md.
CARIBE MOTEL, Atlantic City, N. J.
CARIOCA MOTEL, Rochester, N. Y.
CARIBBEAN MOTEL, Wildwood Crest, N. J.
CAVALIER MOTEL, Aberdeen, Md.
CHAGRIN VALLEY COUNTRY CLUB, Cleveland, Ohio
CONCORD HOTEL, Kiamasha Lake, N. Y.
CONGRESSIONAL COUNTRY CLUB, Mt. Kisco, N. Y.
DI LIDO MOTEL, Wildwood Crest, N. J.
EDEN ROC MOTEL, Wildwood Crest, N. J.
THE ELWYN TRAINING SCHOOL, Media, Pa.
FORT GEORGE G. MEADE, Maryland
FRATERNIDAD NU SIGMA BETA, Santurce, Puerto Rico
JOHN FUHERER SWIMMING POOLS, Mansfield, Ohio
GEORGEANN MOTEL, Wildwood Crest, N. J.
THE GRATIOT INN, Port Huron, Mich.
HAVERFORD FACULTY SWIM CLUB, Haverford College, Haverford, Pa.
HAYLOFT MOTEL, South Salem, N. Y.
HIGHLAND GOLF CLUB, Ft. Thomas, Ky.
CITY OF JOPLIN, Joplin, Mo.
KAUFFMAN & BROAD, Farmington Twp., Mich.
KENNY'S MOTEL, Jamestown, N. D.
KNOLLWOOD SWIMMING CLUB, Webster, N. Y.
CITY OF LANDIS, N. C.
LAWRENCEBURG COUNTRY CLUB, Lawrenceburg, Tenn.
LINCOLN MOTEL, Wildwood, N. J.
LOCUST HILL COUNTRY CLUB, Pittsford, N. Y.
MIAMI COUNTRY CLUB, Miami, Okla.
MONROE COUNTRY CLUB, Monroe, Mich.
MOUNT KISCO COUNTRY CLUB, Bethesda, Md.
MOUNT WASHINGTON APARTMENTS, Baltimore, Md.
CITY PARKS OF NASHVILLE, Nashville, Tenn.
NAVAL AIR STATION, Virginia Beach, Va.
OAK LANE MANOR SWIM CLUB, Wilmington, Del.
CITY OF OAK PARK, Mich.
OFFICERS OPEN MESS, Aberdeen Proving Grounds, Md.
PENFIELD SWIMMING CLUB, Webster, N. Y.
PERINTON DAY CAMP, Perinton, N. Y.
RADNER SWIM CLUB, Wilmington, Del.
RIO MOTEL, Wildwood, N. J.
RIVIERA SWIM & CABANA CLUB, Baltimore, Md.
ROCHESTER ROTARY SUNSHINE CAMPS, Rochester, N. Y.
SAXON WOODS SWIMMING POOL, Westchester County, N. Y.
SHAKER SWIM CLUB, Cleveland, Ohio
PAUL SMITH RESORT, Hendersonville, Tenn.
STRATFORD VILLA APARTMENTS, Oak Park, Mich.
SWAN CREEK COUNTRY CLUB, Havre de Grace, Md.
TOPEKA LODGE, Stone Harbor, N. J.
TRADE WINDS, Antigua, British West Indies
TRAILS END RESORT, Kentucky Lake, Waverly, Tenn.
VALLEY FORGE ARMY HOSPITAL, Phoenixville, Pa.
WAYNE COUNTY RECREATION CLUB, Lyons, N. Y.
CITY OF WEBB CITY, Mo.
WHITE SLED MOTEL, Saranac, N. Y.
WINDORF MANOR APARTMENTS, Roseville, Mich.
WRIGHT PATTERSON AIR BASE, Dayton, Ohio

PARAGON SWIMMING POOL CO., INC., manufactures more than 400 products for building, maintaining and improving all types of swimming pools.

The company has gained wide recognition among architects and engineers engaged in the planning and design of public, commercial and municipal pools. Specifying "PARAGON" represents an assurance of highest quality and dependable trouble-free service.

PARAGON's large, up-to-date manufacturing facilities are located in Pleasantville, N. Y. Huge warehouse stocks of all standard items are constantly maintained, ready for immediate shipment. The PARAGON Technical Department, staffed with trained engineers and technicians, is always ready to assist the architect in his selection of standard or custom-designed pool equipment to meet specific requirements.

PARAGON AUTHORIZED DISTRIBUTORS

PARAGON's Authorized Distributors, located throughout the United States, can provide the fastest delivery and most efficient service on all products. The names of local distributors are listed in the Yellow Pages Classified Telephone Directory under "PARAGON SWIMMING POOL PRODUCTS." Where there is no listing in an area, the PARAGON home office at Pleasantville, N. Y., should be contacted for the name of the nearest distributor.

ADVISORY SERVICE

Your questions and inquiries are welcomed—and answered promptly. Our Technical Department is always at your service for all problems relating to pool equipment.



PARAGON

Swimming Pool Co. inc.


12 PAULDING STREET, PLEASANTVILLE, N. Y.
ROgers 9-6221



DIVING STANDS

MEET ALL NCAA AND AAU SPECIFICATIONS

ONE-METER DIVING STANDS



institutional diving stand (as pictured)

Ultimate in strength and performance. Furnished with back rails and step for easy mounting, and side rails for safety. Butt plate, board anchor bolts and fulcrum cover furnished. Anchor sockets furnished with galvanized stand; to be ordered separately for chrome or stainless models. Order escutcheon plates separately for all models. Diving board not included.

CHROME	C-92-C
GALVANIZED	B-92-G
STAINLESS	C-92-S

club diving stand



Same as Institutional stand but with no side rails.

CHROME	C-91-C
GALVANIZED	B-91-G
STAINLESS	C-91-S

sturdee diving stand

Same as Institutional stand but with no side rails, back rails or step.

CHROME	C-90-C
GALVANIZED	B-90-G
STAINLESS	C-90-S



supreme diving stand (as pictured)


Recommended for pools with limited deck area. Cantilever design gives graceful appearance. Exceptionally strong and durable. Furnished with back rails and step for easy mounting, and side rails for safety. Butt plate, board anchor bolts and fulcrum cover furnished. Anchor sockets furnished with galvanized stand; to be ordered separately for chrome or stainless models. Order escutcheon plates separately for all models. Diving board not included.

CHROME	C-105-C
GALVANIZED	B-105-G
STAINLESS	C-105-S

royal diving stand

Same as Supreme stand but with no side rails.

CHROME	C-100-C
GALVANIZED	B-100-G
STAINLESS	C-100-S




master diving stand

Same as Supreme stand but with no side rails, back rails or step.

CHROME	C-95-C
GALVANIZED	B-95-G
STAINLESS	C-95-S

THREE-METER DIVING STANDS




standard model (large photo)

Extremely rugged, durable. Five galvanized anchor sockets furnished with galvanized model. Order anchor sockets separately for chrome and stainless steel models. Escutcheon plates not included with any models. Diving board not included.

CHROME..C-111-C GALVANIZED..C-111-G STAINLESS..C-111-S

standard model



cantilever model (small photo)


Same strength, durability and dimensions as standard model EXCEPT that distance between front and back legs is 5'-4". Recommended for pools with limited deck area. Five galvanized anchor sockets furnished with galvanized model. Order anchor sockets separately for chrome and stainless steel models. Escutcheon plates not included with any models. Diving board not included.

CHROME..C-110-C GALVANIZED..C-110-G STAINLESS..C-110-S

GENERAL SPECIFICATIONS all diving stands

	STAINLESS STEEL	GALVANIZED STEEL	CHROME-PLATED BRASS
Structural Members	1.900" O.D. x .110" Wall Tubing, Type 304	1.900" O.D. x .120" Wall Tubing	1.900" O.D. x .134" Wall Tubing
Braces and Rails	1.900" O.D. x .065" Wall Tubing, Type 302	1.900" O.D. x .120" Wall Tubing	1.900" O.D. x .083" Wall Tubing
Connectors	Chrome-Plated Cast Bronze Satin Finish	Galv. Malleable Iron	Chrome-Plated Cast Bronze
Fulcrum Holders	Chrome-Plated Cast Bronze Satin Finish	Galvanized Cast Iron	Chrome-Plated Cast Bronze
Bolts and Nuts	18-8 Stainless Steel	Cadmium Plated Steel	Chrome-Plated Naval Bronze
Steps	Chrome-Plated Cast Bronze Satin Finish	Galvanized Cast Iron	Chrome-Plated Cast Bronze
Fulcrum Cover	White Rubber	White Rubber	White Rubber
Butt Plate	Chrome-Plated Cast Bronze Satin Finish	Galvanized Steel	Chrome-Plated Cast Bronze

GEARED ADJUSTABLE FULCRUM



Permits each diver to adjust bounce of the board to suit his weight and spring. Fits all diving stand models. When ordering, send dimensioned sketch of stand showing distance between side frames.


CHROMEG-130-C
GALVANIZEDF-130-G

Send for complete catalog "Key to the Perfect Swimming Pool" for additional diving stands for residential pools and complete description of PARAGON Diving Boards.





LADDERS and DECK EQUIPMENT


LADDERS



cross braced
for rugged
service





regular style
without
cross bracing




Anchored on deck only. Rest against pool wall on protective white rubber bumpers. Flat, non-skid tread. Order anchor sockets and escutcheon plates separately.

life guard chair



Strong and rigid with many built-in safety features including flat, non-slip mounting treads and non-slip surface on foot rest for fast, easy take-off. Umbrella holder and life ring holder included. Four anchor sockets furnished with galvanized chair. Order anchor sockets separately for chrome and stainless chairs. Order escutcheon plates separately for all chairs. Life ring not included.

CHROME-PLATED BRASS.....C-133-C
GALVANIZED.....C-133-G
STAINLESS.....C-133-S



CATALOG NUMBERS

NO. OF STEPS	CROSS BRACED		REGULAR STYLE			
	Polished Chrome Heavy Duty	Galvanized Steel Heavy Duty	Polished Chrome Heavy Duty	Polished Chrome Standard	Galvanized Steel Heavy Duty	Stainless Steel Standard
2	C-2-C	B-2-G	C-12-C	B-16-C	B-12-G	B-16-S
3	C-3-C	B-3-G	C-13-C	B-17-C	B-13-G	B-17-S
4	C-4-C	B-4-G	C-14-C	B-18-C	B-14-G	B-18-S
5	C-5-C	B-5-G	C-15-C	B-19-C	B-15-G	B-19-S

GENERAL SPECIFICATIONS


	Galvanized Steel Heavy Duty	Polished Chrome Heavy Duty	Polished Chrome Standard	Stainless Steel Standard
LADDER FRAMES	1.900" O.D. x .120" Wall Tubing	1.900" O.D. x .083" Wall Tubing	1.900" O.D. x .065" Wall Tubing	1.900" O.D. x .065" Wall Tubing Type 302
CONNECTORS	Galvanized Malleable Iron	Chrome-Plated Cast Bronze	Chrome-Plated Cast Bronze	Chrome-Plated Cast Bronze Satin Finish
BOLTS and NUTS	Cadmium-Plated Steel	Chrome-Plated Naval Bronze	Chrome-Plated Naval Bronze	18-8 Stainless Steel
STEPS	Galvanized Cast Iron	Chrome-Plated Bronze	Chrome-Plated Bronze	18-8 Stainless Steel
BUMPERS	White Rubber	White Rubber	White Rubber	White Rubber



anchor sockets

Simplify installation and removal of PARAGON deck equipment. Made to accommodate 1.900" O.D. pipe. Exclusive, locking bronze wedge prevents sideways on ladders and stands.

ALUMINUM.....B-120-A
BRONZE.....B-120-C
GALVANIZED.....B-120-G



escutcheon plate

Adds elegance to ladders and stands by covering anchor sockets. Durable, rugged, one-piece casting. Made for 1.900" O.D. pipe.

CHROME.....C-121-C
GALVANIZED.....B-121-G
STAINLESS.....C-121-S



UNDERWATER LIGHTS



SPECIAL FEATURES



Bronze and copper construction with outside faces of gleaming chrome. ALL MOLDED GASKETS ONLY—No soldered joints or flat gaskets.

LIGHT CAN'T POP OUT—Special PARAGON locking device keeps light in niche.

Every light, before shipment, is tested for water tightness.

Lights are wet niche type to be recessed into wall. Extra long electrical cord is supplied so light can be lifted to deck for changing bulb without disturbing electrical connections. APPROVED and listed by Underwriters' Laboratories and Canadian Standards Association.

250-Watt Light	B-550
400-Watt Light	B-552
500-Watt Light	B-555



deck box

ABSOLUTELY LEAK-PROOF. Has new PARAGON water seal. Positively prevents entry of water into box. Eliminates possibility of short circuits due to flooding. Molded gasket seal under cover stops surface seepage. Cast bronze throughout with molded gaskets.

STANDARD DECK BOX, Plain Bronze	B-580
STANDARD DECK BOX, Chromed Bronze B-580-C	
LARGE DECK BOX, Plain Bronze	B-582
LARGE DECK BOX, Chromed Bronze	B-582-C

Niches available in either copper (for permanence) or aluminum (for economy). Come completely assembled with mounting ring attached—ready for installation. Just set in place and pour the concrete.

COPPER NICHE, complete—250- and 400-Watt	B-560
COPPER NICHE, complete — 500- Watt	B-561
ALUMINUM NICHE, complete—250- and 400-Watt	B-563
ALUMINUM NICHE, complete—500- Watt	B-564
MOUNTING RING, only—250- and 400-Watt	B-566
MOUNTING RING, only—500-Watt	B-567

pre-formed niches for concrete pools



For speedier, simpler, lower cost installation of underwater lighting.

PRE-FORMED COPPER NICHEs are a PARAGON FIRST and a PARAGON EXCLUSIVE. These niches are brazed to mounting rings and have threaded outlets for conduit connections. Assembled units are permanent, water-tight and non-corroding.

For economy purposes, aluminum niches with mounting rings attached are also available. Aluminum niches can be used ONLY for installations where concrete can completely surround it.

DETAILED INSTALLATION SHEETS ARE FURNISHED WITH EACH NICHE—AND ARE AVAILABLE UPON REQUEST.

Preformed niches also available for vinyl, fiberglass and metal pools

BUILT-IN SKIMMER

Eliminates need for time-consuming hand skimming. Removes all floating debris while pool is being used.


One-piece all aluminum construction with self-adjusting plastic weir. Heavy perforated brass basket catches debris, is easily removed for cleaning. Threaded outlet for direct connection of vacuum cleaner hose eliminates need for separate vacuum line. Overflow connection provided.

Brand new, exclusive PARAGON feature is the adjustable frame for the cover. The adjustable frame is installed later—when concrete deck is poured. In this way, cover is always perfectly flush with deck.


Cover available in aluminum and chrome-plated bronze.

All skimmers include body, weir, basket, adjustable frame and cover, and outlet elbow. Order equalizer line (which includes inlet fitting) separately. Meets Standards of NSPI.

Has waterseal flange which prevents seepage through pool wall. Specify cover desired and order equalizer line separately.



BUILT-IN SKIMMER ALUMINUM COVER	B-249-A
BUILT-IN SKIMMER CHROME COVER	B-249-C






FITTINGS FOR CONCRETE POOLS


(COMPLETE LINE OF FITTINGS FOR VINYL, FIBERGLAS AND METAL POOLS ALSO AVAILABLE)

cast main drain



Finely machined galvanized cast iron body with waterseal flange, manual relief plug, threaded outlet, cast bronze chrome-plated frame and grate.

Also available with cast iron body.



Cat. No.	A	B	C	D	
B-420	6"	2" IPS	6 1/2"	4"	Cast Iron Body
B-420-G	6"	2" IPS	6 1/2"	4"	Galvanized Iron Body
B-421	11"	4" IPS	9"	6"	Cast Iron Body
B-421-G	11"	4" IPS	9"	6"	Galvanized Iron Body

hydrostatic relief valve for cast main drain





The cheapest insurance any pool owner, operator or builder can buy. Should water pressure, created by saturated earth, ever start to exert itself while pool is empty for painting, repairs, etc.—the HYDROSTATIC RELIEF VALVE opens—permitting water in ground to enter pool—thereby equalizing the pressures and preventing heaving of the floor.

FOR 2" CAST MAIN DRAIN..... B-422

FOR 4" CAST MAIN DRAIN..... B-423

frames and grates



Sturdy cast bronze with removable grates. Gleaming chrome plated finish glamorizes your pool. Available in 3 sizes. Grates only for each size available separately.

12" SQUARE, FRAME & GRATE.... B-425

8" SQUARE, FRAME & GRATE.... B-428

6" ROUND, FRAME & GRATE..... B-430

12" SQUARE, GRATE ONLY..... B-431



8" SQUARE, GRATE ONLY..... B-432

6" ROUND, GRATE ONLY..... B-433


inlet fittings



non-adjustable



adjustable



Cast bronze body with removable grate. Finished in attractive polished chrome. Available in 2 sizes.

Cat. No.	Outlet Size	A	B
B-435	1 1/2" IPS	3 1/2"	1 1/4"
B-436	2" IPS	4"	1 3/4"



Equalize flow from all inlets by using this easily adjustable fitting. Cast bronze body with removable, adjustable, bronze grates—chrome plated.

Cat. No.	Outlet Size	A	B
B-440	1 1/2" IPS	3 1/2"	1 1/4"
B-441	2" IPS	4"	1 3/4"

gutter drains

straight style

angle style



Body and removable grill of cast bronze. Available in 2 sizes. Grate is finished in polished chrome.


1 1/2" IPS FEMALE..... B-480

2" IPS FEMALE..... B-481





For clog proof drainage of pool gutters. Cast bronze body has removable grate. Grate is finished in polished chrome.

B-482



vacuum fittings



Precision machined bronze fittings with removable plug. All parts cast bronze . . . finished in attractive polished chrome. Available in 2 sizes for pipe connection — both sizes have 1½" IPS female connection for vacuum hose.



Cat. No.	Pipe Size	Hose Size
B-455	1½" IPS Female	1½" IPS
B-456	2" IPS Male	1½" IPS


fill spouts

Health regulations in most areas require the use of a FILL SPOUT for filling your pool. Chrome plated brass tubing and fittings with lower end threaded for connection to water pipe. Fish tail spout sprays water clear of coping and walls. (Install FILL SPOUT underneath diving board). Available in 3 sizes.



¾" FILL SPOUT	B-489
1½" FILL SPOUT	B-490
2" FILL SPOUT	B-491


no-leak adapters




A PARAGON EXCLUSIVE — A combination of No-Leak Fittings, elbow (or tee) and hose adapter plus piping to extend through pool wall. Saves installation time and money. Galvanized cast iron construction. Available as ell or tee.

1½" Adapter Ell	B-497
1½" Adapter Tee	B-498

no-leak fittings




Eliminate all possibility of leakage through pool wall at fittings. The waterseal flanges of the NO-LEAK FITTINGS effectively prevent water seepage. Heavy cast bronze with wide, water-seal flange. Available in 2 sizes.



Cat. No.	A	B	C
B-495	1½" IPS	4¼"	2"
B-496	2" IPS	4¾"	2¼"


WALL ANCHORS

recessed cup type




Cast bronze, chrome-plated. Sets flush in wall. Deluxe model has rugged, chromed bronze, removable eye bolt. Standard model has brass rod to hold rope hook.

Cup Anchor, deluxe	B-469
Cup Anchor, standard ..	B-470




wall anchor socket



Inexpensive socket is set flush with pool wall. Perfect for racing lanes and safety lines that may be changed or moved.


B-471

threaded eye bolt



Chrome plated—threaded eye bolt screws into Wall Anchor Socket. Can be removed in seconds for lane changing.

B-472



eye bolt



Set in pool wall to hold hand lines, life lines and racing lane markers. Cast bronze—available in plain finish or chrome plated.


EYE BOLT, Bronze	B-499-B
EYE BOLT, Chrome Plated	B-499-C



SWIMMING POOL FILTERS


residential pool filters

pressure filters for public pools



PARAGON manufactures a full range of multi-cell filters for larger private pools and public pools. Filter battery includes tanks on jack legs with non-corrosive underdrains and automatic air relief, centrifugal pump and motor, strainer, 2 pressure gages, sight glass, galvanized steel piping and fittings, gate valves. Auxiliary equipment includes chlorinators, chemical feeders, solution crocks, flow meters and orifice flanges. Our experienced engineering department will be happy to make recommendations and offer prompt quotations upon receipt of plans, specifications and details.

Available in two styles: Above Ground Installation and Buried Installation. Above Ground Filter can be installed anywhere — cellar, garage or bath house. Buried Style is ideal where space is limited. Filter is set in the ground with all controls mounted on top of the tank for easy accessibility. A prefabricated control box with hinged cover is an optional extra for the buried filter — eliminates need for construction of an enclosure.



SYSTEM INCLUDES:

- Welded steel tank of structural steel plate with domed heads, non-corrosive underdrain and splash plate under inlet to prevent furrowing of filter bed. Self-priming centrifugal pump, continuous duty, sealed bearings with lifetime lubrication. Operates on household current.
- Oversized strainer with heavy gage perforated brass basket.
- 2 pressure gages.
- Sight glass.
- Automatic air relief valve.
- Galvanized steel piping.
- Single lever PARA-PORT VALVE.

Suction manifold available as optional extra.

PRESSURE FILTERS FOR PUBLIC POOLS

CATALOG NO.	MAXIMUM POOL CAPACITY*	NO. AND DIA. OF TANKS	FILTER AREA (SQ. FT.)	FILTRATION RATE (GPM)**	BACKWASH RATE (GPM)***	PUMP SIZE (H.P.)	FLOOR AREA REQ'D
G-3602	20,300	2-36"	14.1	42	85	1	5' x 8'
G-3003	21,200	3-30"	14.7	44	58	1	4' x 10'
G-4202	27,700	2-42"	19.2	58	115	1½	6' x 10'
G-3603	30,600	3-36"	21.2	64	85	1½	5' x 12'
G-4802	36,200	2-48"	25.1	75	151	2	6' x 10'
G-4203	41,600	3-42"	28.9	87	115	1½	6' x 15'
G-5402	45,800	2-54"	31.8	95	191	3	7' x 12'
G-4803	54,300	3-48"	37.7	113	151	3	6' x 15'
G-5403	68,700	3-54"	47.7	143	191	3	7' x 17'
G-6003	84,700	3-60"	58.9	177	235	5	7' x 18'
G-6603	102,500	3-66"	71.3	214	285	5	8' x 21'
G-7203	122,000	3-72"	84.8	254	339	5	8' x 22'
G-6604	137,200	4-66"	95.4	286	285	5	8' x 27'
G-7204	162,700	4-72"	113	339	339	7½	8' x 29'

*Maximum pool capacity is given in gallons and based on 8 hour turnover.

**Filtration rate based on 3 gpm per sq. ft. of filtration area.

***Backwash rate based on 12 gpm per sq. ft. of filter area for one tank.

All tanks are constructed of ¾" structural steel plate with domed heads.

11" x 15" manhole, adjustable jack legs, automatic air relief valve.

Pumps with motors 1½ H.P. or smaller are self priming pumps and motors are 110/220 V, 1 phase, 60 cycle, 3450 rpm. Pumps with motors 2 H.P. and larger are straight centrifugals with motors 220/440 V, 3 phase, 60 cycle, 1750 rpm. Single phase available upon request.

Printed in U.S.A.



Swimming Pool Co. inc.

12 PAULDING STREET, PLEASANTVILLE, NEW YORK. ROgers 9-6221

Digitized by:



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Carol J. Dyson, AIA